

SWS-04 S-line Switch 1x4

Basic characteristic

- ▲ **S-line Switch 1x4** is extension module with 4 channels used for increasing the number of channels of S-line Scan 800 and S-line Scan 400 interrogators.
- ▲ **S-line Switch 1x4** is applicable for static measurement.



Performance properties

| | |
|----------------------------------|--------------------|
| Number of channels | 4 |
| Scanning frequency ¹⁾ | 1Hz |
| Wavelength range | 80nm (1510-1590nm) |

¹⁾ Slower data logging is available through down sampling.

Physical properties

| | |
|----------------------------|--------------|
| Dimensions (without cable) | 300x200x42mm |
| Weight (without cable) | 1,86kg |
| Connector type | FC/APC |
| Interface | D-SUB |

Packaging

Cardboard box with dimensions: 364x351x140mm (see [Figure](#))

Optional - Ruggedized transportation case with dimensions: 502x401x188mm (see [Figure](#))

Quality statement

All switches are 100% tested at SYLEX
Switch is manufactured according to ISO 9001:2008 and ISO 14001:2004

Accessories (included):


- ▲ Standard extension patchcord (SPA-02)
- ▲ D-Sub adapter

Recommended accessories within S-line family:

- ▲ S-line Scan 800 (SCN-80)
- ▲ S-line Scan 400 (SCN-40)
- ▲ S-line Splitters – 1x2 (SPL-02), 1x4 (SPL-04), 4x16 (SPL-16)

SWS-04 S-line Switch 1x4

Communication options example



Packaging options



Figure 1: Cardboard box as standard packaging



Figure 2: Waterproof, crash proof and dust proof transportation case as optional packaging

For more information contact our sales team at sales@sylex.sk

* Specifications are subject to change without notice